

()

: ADBD2020R_2020081117082420200817225848101973566800

: 2020-08-17 22:58:48

: _201703150138_ QQ APP

:
:
:

/

()
()

Springer

Taylor & Francis

)

CNKI

-

: 1900-01-01 2020-08-17

//

	6.1%		0%
引	6.1%	总	6.1%
单	2.7%	amazewi / swiper	- For MyQ anDuan - CSDN
	[1919]	[31378]	[854]
	[2]	[372]	[1471]
	[2]	[1547]	[448]
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
0	0	0	0

3.2% (448)	_201703150138_	QQ APP	_ 1	14174
8.6% (1471)	_201703150138_	QQ APP	_ 2	17204



(1)				
201703150138	QQ APP	_ 2		
1.				

1.	_201703150138_	QQ APP	_ 1	14174
	3.2% (448)	3.2% (448)	(0)	

1	HTML 5+CSS3+j Query			1.1% 154
	; ; -	- 2018-06-15		
2	153 2 (1)			0.9% 129
	-	- 2018-05-17		
3	1502697204_			0.9% 125

	-	- 2019-06-02	
4			0.6% 84
	-	() - 2010-07-05	
5	201257504225+	+	0.5% 68
	-	- 2016-05-26	
6			0.4% 52
	-	() - 2009-08-05	
7			0.3% 37
	;	;	- 2017-08-05

QQ APP

3171

1								
2				4000				
3								
4								
5								
(1)	A4		3			2.5		
2	26							
(2)						0.5		1
		1				0.25		0.25
		0.25				0.25		
(3)								
(4)			0.5	1.5				
(5)						0.25		
6							24	

()	2
()	2
()	2
	3

()3

()3

14

24

35

45

55

.....6

()6

1.6

2.6

()7

1.7

2.9

3.20

4.27

5.34

6. IW38

.....38

.....39

()39

()39

.....41

APP

()

APP

()

APP

APP

APP

APP

9.0

APP

()

1

APP

APP

1.

2

3

4

5

IW

()

APP

IW

js

1

1

2

2

2

1

3
3
1
2
4
4
5
5
6

1

bootstrap h5+css3 js (div css)

()

1.

2

/* */

html{

/*

370px

320px

*/

font-size: 10px;

}

@media only screen and (min-width: 371px){

html {font-size: 14px !important;}

}

@media only screen and (min-width: 401px){

html {font-size: 15px !important;}

}

@media only screen and (min-width: 428px){

html {font-size: 16px !important;}

}

@media only screen and (min-width: 481px){

html {font-size: 16px !important;}

}

@media only screen and (min-width: 569px){

html {font-size: 17px !important;}

}

()

1.

<body>

<header >

</header >

<section >

<div class="con1" > </div >

<div class="con2" > QQ QQ </div >

<div class="con3" >

<form action=" .html" id="myform1" >

<table >

<tr >

<td><input type="text" name="username" id="username" value="" placeholder="QQ" /></td>

</tr >

<tr >

<td><input type="text" name="password" id="password" value="" placeholder=" " /></td>

</tr >

<tr >

<td><input type="submit" class="btn btn-primary btn-lg btn-block" value=" " ></td>

</tr >

</table >

```

</form>
</div v>
<div class="col-5"><span><a href=""> </a></span></div v>
</section>
</body>
<script>
  $( "#myform1" ). validate({
  rules: {
  username: {
  required: true,
  minlength: 6,
  maxlength: 10
  },
  password: {
  required: true,
  minlength: 8,
  maxlength: 16
  }
  },
  messages: {
  username: {
  required: " ",
  minlength: " 6 "
  },
  password: {
  required: " ",
  minlength: " 8 ",
  maxlength: " 16 "
  },
  }
  });
</script>
2

```

bootstrap

```

<body>
<!-- -->
<header>
<span class="wode"> </span>
<a href="#" class="sou tc">
<span class="text iconfont search"> : G dragon</span>
</a>
<a href=" .html"><span class="add iconfont add"></span></a>
</header>
<!-- -->
<section>
<div class="content">
<div class="content-1"><a href=" .html"></a></div>
<div class="content-2"><h3> </h3></div>
<div class="content-3"><span class="iconfont choiceness"></span></div>
<div class="content-4"><span class="iconfont crown"></span></div>
<div class="content-5"><span class="iconfont nail"></span></div>
</div>
<div class="content2">
<div class="content2-1"><span class="iconfont newshotfill"></span></div>
<div class="content2-2"><span class="sp1"> </span><p> </p></div>
<div class="content2-3"><span class="iconfont squarecheckfill"></span></div>
<div class="content2-4"><span class="sp1"> </span><p>B 168</p></div>
</div>
<div class="content3">

```

```
<div class="content3-1" ><a href =
.p><p>124</p></a></div>
<div class="content3-2" ><a href =
.p><p>108</p></a></div>
<div class="content3-3" ><a href =
.p><p>1</p></a></div>
<div class="content3-4" ><a href =
.p><p>999</p></a></div>
</div>
<div class="content4" >
<div class="content4-1" ><h3>
</div>
<div class="content5" >
<div class="content5-1" >
<div class="content5-2" >
<div class="content5-3" >
<div class="content5-4" >
<div class="content5-5" > . .
</div>
<div class="content6" >
<div class="content6-1" ><h3> 2</h3></div>
<div class="content6-2" >
<div class="content6-3" ><a href = "#" ><span class="iconfont roundaddfill" ></span></a></div>
<div class="content6-4" ><a href = "#" ><span class="iconfont sort" ></span></a></div>
</div>
<div class="content7" >
<div class="content7-1" ><a href = "i ng/bi gbang. j pg" alt = "" /></div>
<div class="content7-2" ><a href = ". htm" ><h4>BI GBANG</h4><span class="sp3 iconfont roundcheckfill" >40
, 1
</span></a></div>
<div class="content7-3" ><a href = "#" ><span class="iconfont right" ></span></a></div>
</div>
<div class="content8" >
<div class="content8-1" ><a href = "#" ><a href = "i ng/tj 4. j pg" alt = "" /></a></div>
<div class="content8-2" ><a href = " 2 htm" ><h4>
</h4><span>109 </span></a></div>
<div class="content8-3" ><a href = "#" ><span class="iconfont right" ></span></a></div>
</div>
<div class="content9" >
<div class="content9-1" ><h3>
</h3></div>
<div class="content9-2" ><a href = "#" ><span class="iconfont refresh" ></span></a></div>
<div class="content9-3" ><a href = "#" ><span class="iconfont close" ></span></a></div>
</div>
<div class="content10" >
<div class="content10-1" ><a href = ". htm" ><a href = "i ng/gd. j pg" alt = "" /></a><span>BI GBANG
</span>
<div class="i ng1" ><span class="iconfont playfill" >1. 10 </span></div>
</div>
<div class="content10-2" ><a href = ". htm" ><a href = "i ng/gd2. j pg" alt = "" /></a><span>
300
</span>
</div>
<div class="i ng1" ><span class="iconfont playfill" >197 </span></div>
</div>
<div class="content10-3" ><a href = ". htm" ><a href = "i ng/gd3. j pg" alt = "" /></a><span>
</span>
</div>
<div class="i ng1" ><span class="iconfont playfill" >486. 1 </span></div>
</div>
</div>
<!-- -->
<div class="div" >
</div>
</section>
<!-- -->
<nav>
```

```

<a href=" .html" ><div class="nav-item">
<span class="logo1 iconfont musicfill"></span>
<div class="div1" > </div>
</div></a>
<a href=" .html" ><div class="nav-item">
<span class="logo1 iconfont emoji"></span>
<div class="div1" > </div>
</div></a>
<a href=" .html" ><div class="nav-item">
<span class="logo1 iconfont new"></span>
<div class="div1" > </div>
</div></a>
<a href=" .html" ><div class="nav-item">
<span class="logo2 iconfont myfill"></span>
<div class="div2" > </div>
</div></a>
</nav>
</body>

```

1

```

<body>
<!-- -->
<header>
<div class="gd">
<div><a href="QQ .html" ><span class="iconfont back"></span></a></div>
<div><h2> </h2></div>
<div><a href="#" ><span class="iconfont more"></span></a></div>
</div>
</header>
<!-- -->
<section>
<div class="gd1">
<div class="gd1-1" ></div>
<div class="gd1-2" ><h2>BIGBANG</h2><a href=" .html" ><p>
</p><br /><span> &nbsp; </span></a></div>
</div>
<div class="gd2">
<div><a href=" .html" ><span class="s1 iconfont like">&nbsp; </span></a></div>

```

```
<div class="gd4-1" ><span>3</span></div>
<div class="gd4-2" ><span>FANTASTIC BABY</span><p>BIGBANG 2011 BIGSHOW</p></div>
<div class="gd4-3" ><span class="iconfont icon-video" ></span></div>
<div class="gd4-4" ><span class="iconfont icon-more" ></span></div>
</div>
<div class="gd4" >
<div class="gd4-1" ><span>4</span></div>
<div class="gd4-2" ><span></span><p>BIGBANG 2011 BIGSHOW</p></div>
<div class="gd4-3" ><span class="iconfont icon-video" ></span></div>
<div class="gd4-4" ><span class="iconfont icon-more" ></span></div>
</div>
<div class="gd4" >
<div class="gd4-1" ><span>5</span></div>
<div class="gd4-2" ><span> (Live) </span><p>BIGBANG 2011 BIGSHOW</p></div>
<div class="gd4-3" ><span class="iconfont icon-video" ></span></div>
<div class="gd4-4" ><span class="iconfont icon-more" ></span></div>
</div>
<div class="div" >
</div>
</section>
<!-- -->
<nav>
<a href=" .html" ><div class="nav-item" >
<span class="logo2 iconfont music" ></span>
<div class="div2" > </div>
</div></a>
<a href=" .html" ><div class="nav-item" >
<span class="logo2 iconfont emoji" ></span>
<div class="div2" > </div>
</div></a>
<a href=" .html" ><div class="nav-item" >
<span class="logo1 iconfont new" ></span>
<div class="div1" > </div>
</div></a>
<a href=" .html" ><div class="nav-item" >
<span class="logo2 iconfont myfill" ></span>
<div class="div2" > </div>
</div></a>
</body>
```

2

```
<body>
<!-- -->
<header>
<div class="gd" >
<div><a href=" .html" ><span class="iconfont back" ></span></a></div>
<div><h2> </h2></div>
<div><a href="#" ><span class="iconfont more" ></span></a></div>
</div>
</header>
<!-- -->
<section>
<div class="gd1" >
<div class="gd1-1" ></div>
<div class="gd1-2" ><h2> </h2><a href=" .html" ><p>
</p><br /><span> &nbsp; </span></a></div>
</div>
<div class="gd2" >
<div><a href=" .html" ><span class="s1 iconfont like" >&nbsp; </span></a></div>
<div><a href=" .html" ><span class="s1 iconfont comment" >&nbsp; </span></a></div>
<div><a href=" .html" ><span class="s1 iconfont exit" >&nbsp; </span></a></div>
```



```
</di v >
<di v cl ass="gd3" >
<di v cl ass="gd3- 1" ><span cl ass="s2 i confont vi deof i l l " ></span></di v >
<di v cl ass="gd3- 2" ><span > 40 </span></di v >
<di v cl ass="gd3- 3" ><span cl ass="i confont musi cf i l l " ></span></di v >
<di v cl ass="gd3- 4" ><span cl ass="i confont down_l i ght" ></span></di v >
<di v cl ass="gd3- 5" ><span cl ass="i confont sor t" ></span></di v >
</di v >
<di v cl ass="gd4" >
<di v cl ass="gd4- 1" ><span>1</span></di v >
<di v cl ass="gd4- 2" ><span > ( </span><p>BI GBANG 2011 BI GHOW</p></di v >
<di v cl ass="gd4- 3" ><span cl ass="i confont vi deo" ></span></di v >
<di v cl ass="gd4- 4" ><span cl ass="i confont nør e" ></span></di v >
</di v >
<di v cl ass="gd4" >
<di v cl ass="gd4- 1" ><span>2</span></di v >
<di v cl ass="gd4- 2" ><span > </span><p>BI GBANG 2011 BI GHOW</p></di v >
<di v cl ass="gd4- 3" ><span cl ass="i confont vi deo" ></span></di v >
<di v cl ass="gd4- 4" ><span cl ass="i confont nør e" ></span></di v >
</di v >
<di v cl ass="gd4" >
<di v cl ass="gd4- 1" ><span>3</span></di v >
<di v cl ass="gd4- 2" ><span > </span><p>BI GBANG 2011 BI GHOW</p></di v >
<di v cl ass="gd4- 3" ><span cl ass="i confont vi deo" ></span></di v >
<di v cl ass="gd4- 4" ><span cl ass="i confont nør e" ></span></di v >
</di v >
<di v cl ass="gd4" >
<di v cl ass="gd4- 1" ><span>4</span></di v >
<di v cl ass="gd4- 2" ><span > </span><p>BI GBANG 2011 BI GHOW</p></di v >
<di v cl ass="gd4- 3" ><span cl ass="i confont vi deo" ></span></di v >
<di v cl ass="gd4- 4" ><span cl ass="i confont nør e" ></span></di v >
</di v >
<di v cl ass="gd4" >
<di v cl ass="gd4- 1" ><span>5</span></di v >
<di v cl ass="gd4- 2" ><span > </span><p>BI GBANG 2011 BI GHOW</p></di v >
<di v cl ass="gd4- 3" ><span cl ass="i confont vi deo" ></span></di v >
<di v cl ass="gd4- 4" ><span cl ass="i confont nør e" ></span></di v >
</di v >
<di v cl ass="di v" >
</di v >
</sect i on>
<!-- -->
<nav>
<a href=" . htm " ><di v cl ass=" nav- i tem " >
<span cl ass="l ogo2 i confont musi cf i l l " ></span>
<di v cl ass="di v2" > </di v >
</di v ></a >
<a href=" . htm " ><di v cl ass=" nav- i tem " >
<span cl ass="l ogo2 i confont emoj i " ></span>
<di v cl ass="di v2" > </di v >
</di v ></a >
<a href=" . htm " ><di v cl ass=" nav- i tem " >
<span cl ass="l ogo1 i confont new ></span>
<di v cl ass="di v1" > </di v >
</di v ></a >
<a href=" . htm " ><di v cl ass=" nav- i tem " >
<span cl ass="l ogo2 i confont nyf i l l " ></span>
<di v cl ass="di v2" > </di v >
</di v ></a >
</body >
```

```

<body>
<!-- -->
<header >
<span cl ass="yyg" > </span>
<a href="#" cl ass="sou tc" >
<span cl ass="text i confont search" > : Bi gbang</span>
</a>
<a href="" ><span cl ass="aadd i confont scan_l i ght" ></span></a>
</header >
<!-- -->
<secti on>
<!-- -->
<di v cl ass="swi per - contai ner" >
<di v cl ass="swi per - wapper" >
<di v cl ass="swi per - sl i de" ><i ng src="i ng/se. j pg" al t="" /></di v>
<di v cl ass="swi per - sl i de" ><i ng src="i ng/tt1. j pg" al t="" /></di v>
<di v cl ass="swi per - sl i de" ><i ng src="i ng/tt2

```

1.	∞
----	---

2	_201703150138_	∞	APP	_ 2	17204
	8. 6%(1471)		8. 6%(1471)		(1)
1	amazeui /swi per - For MyCl anDuan - CSDN				5. 0% 854
	- http://bl og. csdn. net - 2017				
2			Nb. HLYY- 101620	...	2. 1% 366
	- ht tp: //www. vorl duc. c - 2016				
3	20097278_ _				2. 0% 351
	- - 2013- 06- 28				
4					1. 8% 317
	- ht tp: //wenku. bai du. c - 2012				
5	2012				1. 8% 312
	- ht tp: //www. doci n. com - 2019				
6					1. 7% 297
	- ht tps: //wenku. bai du. - 2019				
7	hg 1				1. 7% 292
	- - 2013- 05- 16				
8	2014				1. 6% 271
	- - 2014- 05- 19				
9	2014				1. 6% 271
	- - 2014- 05- 21				
10	2 /d				1. 5% 262
	- - 2015- 06- 10				
11	100730219				1. 5% 257
	- - 2014- 05- 21				
12	16_U201000000_ 2				1. 5% 251
	- - 2014- 07- 01				
13	121308236 [] 2016- 04- 07				1. 5% 251
	- - 2016- 04- 08				
14	PM 5				1. 4% 238

	-		- 2018-06-07	
15	0914012116	10		1.2% 209
	-		- 2013-05-27	
16	[1]	-		1.1% 185
	-	https://venku.bai.du	- 2019	
17				1.1% 185
	-		- 2017-05-25	
18				1.1% 185
	-		- 2018-05-24	
19				0.9% 147
	-		- 2016-05-10	
20		- j z. docin.com		0.7% 127
	-	http://www.docin.com	- 2019	
21	7.19	88		0.7% 125
	-	http://www.360doc.co	- 2015	
22	7.19	88		0.7% 125
	-	http://www.360doc.co	- 2016	
23	SSH			0.6% 110
	-		- 2015-11-11	
24				0.6% 110
	-		- 2017-04-17	
25				0.6% 107
	-		- 2015-05-11	
26	1	ABB Robot Studi o	...	0.6% 107
	-	http://www.vorl.duc.c	- 2016	

```

j pg" al t="" /></di v>
<di v cl ass="swiper-slide"><i ng src="i ng/tt3.j pg" al t="" /></di v>
<di v cl ass="swiper-slide"><i ng src="i ng/tt4.j pg" al t="" /></di v>
<!--<di v cl ass="swiper-slide"><i ng src="i ng/se.j pg" al t="" /></di v>
<di v cl ass="swiper-slide"><i ng src="i ng/se.j pg" al t="" /></di v>
<di v cl ass="swiper-slide"><i ng src="i ng/se.j pg" al t="" /></di v-->
</di v>
<di v cl ass="swiper-button-prev a"></di v>
<di v cl ass="swiper-button-next a"></di v>
<!-- -->
<di v cl ass="swiper-pagination"></di v>
</di v>
<di v cl ass="cont1">
<di v><a href=" .html"><span cl ass="sp i confont ny_fill_l i ght"></span><p> </p></a></di v>
<di v><a href=" .html"><span cl ass="sp i confont rankfill"></span><p> </p></a></di v>
<di v><a href=" .html"><span cl ass="sp i confont apps"></span><p> </p></a></di v>
<di v><a href=" .html"><span cl ass="sp i confont servi cefill"></span><p> </p></a></di v>
<di v><a href=" .html"><span cl ass="sp i confont group"></span><p> </p></a></di v>
</di v>
<di v cl ass="cont2">
<di v cl ass="cont2-1">
<a href=" .html"><di v><i ng src="i ng/se2.j pg" al t="" /></di v>
<di v cl ass="d1">&nbsp; &nbsp; </di v>
<di v>&nbsp; &nbsp; </di v></a>
</di v>
<di v cl ass="cont2-2">
<a href=" .html"><di v><i ng src="i ng/se3.j pg" al t="" /></di v>
<di v cl ass="d2">&nbsp; &nbsp; </di v>
<di v>&nbsp; &nbsp; LI SA </di v></a>
</di v>

```

```

</di v>
<di v cl ass="cont 3" >
<di v cl ass="cont 3- 1" ><a href="          . htm " ><span>#KARA  STEP          ! </span></a></di v>
<di v cl ass="cont 3- 2" ><a href="          . htm " ><span>#          AnySong</span></a></di v>
<di v cl ass="cont 3- 3" ><a href="          . htm " ><span>#          !!! </span></a></di v>
<di v cl ass="cont 3- 4" ><a href="          . htm " ><span>#          </span></a></di v>
</di v>
<di v cl ass="cont 4" >
<di v cl ass="cont 4- 1" ><h3>          </h3></di v>
<di v cl ass="cont 4- 1" >          </di v>
</di v>
<di v cl ass="cont 5" >
<di v cl ass="cont 5- 1" ><a href="          . htm " ><i n g src="i n g/gd. j pg" al t="" /><span>Bl GBANG          </span>
<di v cl ass="i n g1" ><span cl ass="sp0 i confont voi cel i ght" >&nbsp; 1. 10 </span><span cl ass="sp1 i confont
vi deo_fi l l _i ght" ></span></di v></a>
</di v>
<di v cl ass="cont 5- 2" ><i n g src="i n g/gd2. j pg" al t="" /><span>          </span>
<di v cl ass="i n g1" ><span cl ass="sp0 i confont voi cel i ght" >&nbsp; 197 </span><span cl ass="sp1 i confont
vi deo_fi l l _i ght" ></span></di v>
</di v>
<di v cl ass="cont 5- 3" ><i n g src="i n g/gd3. j pg" al t="" /><span>          </span>
<di v cl ass="i n g1" ><span cl ass="sp0 i confont voi cel i ght" >&nbsp; 486 </span><span cl ass="sp1 i confont
vi deo_fi l l _i ght" ></span></di v>
</di v>
</di v>
<di v cl ass="cont 5" >
<di v cl ass="cont 5- 1" ><i n g src="i n g/tj 1. j pg" al t="" /><span>          </span>
<di v cl ass="i n g1" ><span cl ass="sp0 i confont voi cel i ght" >&nbsp; 1. 10 </span><span cl ass="sp1 i confont
vi deo_fi l l _i ght" ></span></di v>
</di v>
<di v cl ass="cont 5- 2" ><i n g src="i n g/tj 6. j pg" al t="" /><span>          </span>
<di v cl ass="i n g1" ><span cl ass="sp0 i confont voi cel i ght" >&nbsp; 197 </span><span cl ass="sp1 i confont
vi deo_fi l l _i ght" ></span></di v>
</di v>
<di v cl ass="cont 5- 3" ><i n g src="i n g/tj 3. j pg" al t="" /><span>          </span>
<di v cl ass="i n g1" ><span cl ass="sp0 i confont voi cel i ght" >&nbsp; 486 </span><span cl ass="sp1 i confont
vi deo_fi l l _i ght" ></span></di v>
</di v>
</di v>
<!--          -->
<di v cl ass="di v" >
</di v>
</secti on>
<!--          -->
<nav>
<a href="          . htm " ><di v cl ass="nav- i tem" >
<span cl ass="l ogo1 i confont nusi cf i l l " ></span>
<di v cl ass="di v1" >          </di v>
</di v></a>
<a href="          . htm " ><di v cl ass="nav- i tem" >
<span cl ass="l ogo2 i confont emoj i " ></span>
<di v cl ass="di v2" >          </di v>
</di v></a>
<a href="          . htm " ><di v cl ass="nav- i tem" >
<span cl ass="l ogo2 i confont new" ></span>
<di v cl ass="di v2" >          </di v>
</di v></a>
<a href="          . htm " ><di v cl ass="nav- i tem" >
<span cl ass="l ogo2 i confont nyf i l l " ></span>
<di v cl ass="di v2" >          </di v>
</di v></a>

```

```

</nav>
<!-- -->
<script>
var newLeft=document.querySelector(".swiper-button-next");
time=setInterval(function(){
newLeft.click();
}, 2000)
var mySwiper = new Swiper ('.swiper-container', {
direction: 'horizontal',
loop: true,
pagination: {
el: '.swiper-pagination',
},
navigation: {
nextEl: '.swiper-button-next',
prevEl: '.swiper-button-prev',
},
scrollbar: {
el: '.swiper-scrollbar',
},
})
</script>
</body>

```

Html

```

<!-- -->
<div class="swiper-container">
<div class="swiper-wrapper">
<div class="swiper-slide"></div>
<div class="swiper-slide"></div>
<div class="swiper-slide"></div>
<div class="swiper-slide"></div>
<div class="swiper-slide"></div>
<!--<div class="swiper-slide"></div>
<div class="swiper-slide"></div>
<div class="swiper-slide"></div>-->
</div>
<div class="swiper-button-prev"></div>
<div class="swiper-button-next"></div>
<!-- -->

```

```
el : '. swi per - scr ol l bar' ,
},
})
</scri pt >
4.
```

```
<!-- -->
<header >
<span cl ass="yyg" > </span>
<a href="#" cl ass="sou tc" >
<span cl ass=" text i confont search" > : Bi gbang</span>
</a>
<span cl ass=" aadd i confont scan_l i ght" ></span>
</header >
<!-- -->
<secti on>
<di v cl ass=" tui j i an" >
<h3>H </h3>
</di v>
<di v cl ass=" tui j i an1" >
<di v cl ass=" tui j i an1-1" ><a href=" .html" ><i ng src="i ng/tj 2.j pg" al t="" /><span> </span>
<di v cl ass=" i ng1" ><span> </span></a></di v>
</di v>
<di v cl ass=" tui j i an1-2" ><i ng src="i ng/tj 4.j pg" al t="" /><span> </span>
<di v cl ass=" i ng1" ><span> 30 </span></di v>
</di v>
<di v cl ass=" tui j i an1-3" ><i ng src="i ng/tj 5.j pg" al t="" /><span> </span>
<di v cl ass=" i ng1" ><span> </span></di v>
</di v>
</di v>
<di v cl ass=" tui j i an2" >
<h3> </h3>
</di v>
<di v cl ass=" tui j i an3" >
<di v cl ass=" tui j i an3-1" ><a href=" .html" ><i ng src="i ng/tj .j pg" al t="" /><span>
</span>
<di v cl ass=" i ng2" ><span cl ass=" sp0 i confont voi cel i ght" >&nbsp; &nbsp; 1.1 </span><span cl ass=" sp1 i confont
vi deo_fi l l _l i ght" ></span></a></di v>
</di v>
<di v cl ass=" tui j i an3-2" ><i ng src="i ng/tj 1.j pg" al t="" /><span> 99 </span> </span>
<di v cl ass=" i ng2" ><span cl ass=" sp0 i confont voi cel i ght" >&nbsp; &nbsp; 197 </span><span cl ass=" sp1 i confont
vi deo_fi l l _l i ght" ></span></di v>
</di v>
<di v cl ass=" tui j i an3-3" ><i ng src="i ng/tj 3.j pg" al t="" /><span> 999+</span>
<di v cl ass=" i ng2" ><span cl ass=" sp0 i confont voi cel i ght" >&nbsp; &nbsp; 486 </span><span cl ass=" sp1 i confont
vi deo_fi l l _l i ght" ></span></di v>
</di v>
</di v>
<di v cl ass=" tui j i an4" >
<h3> </h3>
</di v>
<di v cl ass=" tui j i an5" >
<di v cl ass=" tui j i an5-1" >
<a href=" 2.html" ><i ng src="i ng/tj 6.j pg" al t="" />
<di v cl ass=" i ng3" ><span cl ass=" sp2 i confont voi cel i ght" >98.5 </span><span cl ass=" sp3 i confont
vi deo_fi l l _l i ght" ></span></di v></a>
</di v>
<di v cl ass=" tui j i an5-2" ><span> </span><p> </p>
</di v>
</di v>
<di v cl ass=" tui j i an5" >
```

```

<div class="tui j i an5-1" >
<a href="      2.html" >
<div class="img3" ><span class="sp2 i confont voi cel i ght" >86.5 </span><span class="sp3 i confont
vi deo_fi l l _l i ght" ></span></div></a>
</div>
<div class="tui j i an5-2" ><span>          BGM          </span><p>          </p>
</div>
</div>
<div class="tui j i an5" >
<div class="tui j i an5-1" >
<a href="      2.html" >
<div class="img3" ><span class="sp2 i confont voi cel i ght" >86.5 </span><span class="sp3 i confont
vi deo_fi l l _l i ght" ></span></div></a>
</div>
<div class="tui j i an5-2" ><span>          12          </span><p>
</p>
</div>
</div>
<div class="tui j i an6" >
<div class="tui j i an6-1" ><video src="bi gbang1.mp4" width="100%" height="100%" controls="control s"
loop="loop" ></div>
</div>
<div class="tui j i an7" >
<span>Bgbang          NW          </span>
</div>
<!-- -->
<div class="di v" >
</div>
</section>
<!-- -->
<nav>
<a href="      .html" ><div class="nav-i tent" >
<span class="logo2 i confont musi cf i l l" ></span>
<div class="di v2" >          </div>
</div></a>
<a href="      .html" ><div class="nav-i tent" >
<span class="logo1 i confont emoj i" ></span>
<div class="di v1" >          </div>
</div></a>
<a href="      .html" ><div class="nav-i tent" >
<span class="logo2 i confont new" ></span>
<div class="di v2" >          </div>
</div></a>
<a href="      .html" ><div class="nav-i tent" >
<span class="logo2 i confont nyf i l l" ></span>
<div class="di v2" >          </div>
</div></a>
</nav>
</body>

```

2

```

<body>
<!-- -->
<header >
<div class="gd" >
<div><a href="      .html" ><span class="i confont back" ></span></a></div>
<div><h2>          </h2></div>
<div><a href="#" ><span class="i confont nore" ></span></a></div>
</div>
</header >
<!-- -->

```

```

<secti on>
<di v cl ass="gd1" >
<di v cl ass="gd1- 1" ><i mg src="i mg/tj 4. j pg" al t="" /></di v>
<di v cl ass="gd1- 2" ><h2>                </h2><a href="                . htm " ><i mg src="i mg/tx. j pg" al t="" /></p><br /></span>                &nbsp; ></span></a></di v>
</di v>
<di v cl ass="gd2" >
<di v><a href ="                . htm " ><span cl ass="s1 i confont l i ke" >&nbsp; ></span></a></di v>
<di v><a href ="                . htm " ><span cl ass="s1 i confont comment" >&nbsp; ></span></a></di v>
<di v><a href ="                . htm " ><span cl ass="s1 i confont exi t" >&nbsp; ></span></a></di v>
</di v>
<di v cl ass="gd3" >
<di v cl ass="gd3- 1" ><span cl ass="s2 i confont vi deo f i l l " ></span></di v>
<di v cl ass="gd3- 2" ><span>                40 </span></di v>
<di v cl ass="gd3- 3" ><span cl ass="i confont musi cf i l l " ></span></di v>
<di v cl ass="gd3- 4" ><span cl ass="i confont down_ l i ght" ></span></di v>
<di v cl ass="gd3- 5" ><span cl ass="i confont sor t" ></span></di v>
</di v>
<di v cl ass="gd4" >
<di v cl ass="gd4- 1" ><span>1</span></di v>
<di v cl ass="gd4- 2" ><span>                (                ) </span><p>BI GBANG 2011 BI GHOW</p></di v>
<di v cl ass="gd4- 3" ><span cl ass="i confont vi deo" ></span></di v>
<di v cl ass="gd4- 4" ><span cl ass="i confont m ø r e" ></span></di v>
</di v>
<di v cl ass="gd4" >
<di v cl ass="gd4- 1" ><span>2</span></di v>
<di v cl ass="gd4- 2" ><span>                </span><p>BI GBANG 2011 BI GHOW</p></di v>
<di v cl ass="gd4- 3" ><span cl ass="i confont vi deo" ></span></di v>
<di v cl ass="gd4- 4" ><span cl ass="i confont m ø r e" ></span></di v>
</di v>
<di v cl ass="gd4" >
<di v cl ass="gd4- 1" ><span>3</span></di v>
<di v cl ass="gd4- 2" ><span>                </span><p>BI GBANG 2011 BI GHOW</p></di v>
<di v cl ass="gd4- 3" ><span cl ass="i confont vi deo" ></span></di v>
<di v cl ass="gd4- 4" ><span cl ass="i confont m ø r e" ></span></di v>
</di v>
<di v cl ass="gd4" >
<di v cl ass="gd4- 1" ><span>4</span></di v>
<di v cl ass="gd4- 2" ><span>                </span><p>BI GBANG 2011 BI GHOW</p></di v>
<di v cl ass="gd4- 3" ><span cl ass="i confont vi deo" ></span></di v>
<di v cl ass="gd4- 4" ><span cl ass="i confont m ø r e" ></span></di v>
</di v>
<di v cl ass="gd4" >
<di v cl ass="gd4- 1" ><span>5</span></di v>
<di v cl ass="gd4- 2" ><span>                </span><p>BI GBANG 2011 BI GHOW</p></di v>
<di v cl ass="gd4- 3" ><span cl ass="i confont vi deo" ></span></di v>
<di v cl ass="gd4- 4" ><span cl ass="i confont m ø r e" ></span></di v>
</di v>
<di v cl ass="di v" >
</di v>
</secti on>
<!-- -->
<nav>
<a href ="                . htm " ><di v cl ass="nav- i tem" >
<span cl ass="l ogo2 i confont musi cf i l l " ></span>
<di v cl ass="di v2" >                </di v>
</di v></a>
<a href ="                . htm " ><di v cl ass="nav- i tem" >
<span cl ass="l ogo2 i confont em ø j i " ></span>
<di v cl ass="di v2" >                </di v>
</di v></a>

```



```

<a href=" .html" ><div class="nav-item" >
<span class="logo1 iconfont new" ></span>
<div class="div1" > </div>
</div></a>
<a href=" .html" ><div class="nav-item" >
<span class="logo2 iconfont myfill" ></span>
<div class="div2" > </div>
</div></a>
</body>
5.

```

```

<body>
<!-- -->
<header>
<span class="yyg" > </span>
<a href=" .html" class="source" >
<span class="jx1" > </span>
<span class="jx2" > </span>
</a>
<span class="add iconfont friend_align" ></span>
</header>
<!-- -->
<section>
<div class="dt" >
<video src="bigbang1.mp4" width="100%" height="100%" controls="controls" loop="loop" >
</div>
<div class="dt1" >
<div class="dt1-1" ><a href=" .html" ></a><span>CCRS&A</span></div>
<div class="dt1-1" ><span>Beatrich</span></div>
<div class="dt1-1" ><span>M. 16. . . </span></div>
<div class="dt1-1" ><span>Dana Le</span></div>
<div class="dt1-1" ><span>Kaskade</span></div>
<div class="dt1-1" ><span> </span></div>
</div>
<div class="dt2" >
<div class="dt2-1" ><a href=" .html" ></a></div>
<div class="dt2-2" ><span>Q </span></div>
<div class="dt2-3" ><a href=" .html" ><span class="iconfont add" >&nbsp; </span></a></div>
</div>
<div class="dt3" >
<div><p>M&A</p><p> " " </p></div>
</div>
<div class="dt4" >
<video src="1.mp4" width="100%" height="100%" controls="controls" loop="loop" >
</div>
<div class="dt5" >
<div class="dt5-1" > </div>
<div class="dt5-2" ><span class="iconfont mark" ></span>1</div>
<div class="dt5-3" ><span class="iconfont appreciate" ></span>13</div>
<div class="dt5-4" ><span class="iconfont more_align" ></span></div>
</div>
<div class="dt2" >
<div class="dt2-1" ></div>
<div class="dt2-2" ><span> </span></div>
<div class="dt2-3" ><span class="iconfont add" >&nbsp; </span></div>
</div>
<div class="dt3" >
<div><p> </p><p> </p></div>
</div>
<div class="dt4" >
<video src="2.mp4" width="100%" height="100%" controls="controls" loop="loop" >

```

```

</di v>
<di v cl ass=" dt 6" >
<di v cl ass=" dt 6- 1" ># </di v>
<di v cl ass=" dt 6- 2" ><span cl ass=" i confont nark" ></span>226</di v>
<di v cl ass=" dt 6- 3" ><span cl ass=" i confont appreci ate" ></span>3492</di v>
<di v cl ass=" dt 6- 4" ><span cl ass=" i confont nore_l i ght" ></span></di v>
</di v>
<di v cl ass=" dt 7" >
<di v><h3>24 </h3></di v>
</di v>
<di v cl ass=" dt 8" >
<di v cl ass=" dt 8- 1" ><a href=" .html" ><i ngy src=" i ngy/tj . j pg" al t="" /><span> &
</span></a>
<!--<di v cl ass=" i ngy2" ><span cl ass=" sp0" ></span></di v>-->
</di v>
<di v cl ass=" dt 8- 2" ><i ngy src=" i ngy/tj 1. j pg" al t="" /><span> </span>
<!--<di v cl ass=" i ngy2" ><span cl ass=" sp0" ></span></di v>-->
</di v>
<di v cl ass=" dt 8- 3" ><i ngy src=" i ngy/tj 3. j pg" al t="" /><span>i KCN H dden Track2</span>
<!--<di v cl ass=" i ngy2" ><span cl ass=" sp0" ></span></di v>-->
</di v>
</di v>
<di v cl ass=" dt 2" >
<di v cl ass=" dt 2- 1" ><i ngy src=" i ngy/dt 6. j pg" al t="" /></di v>
<di v cl ass=" dt 2- 2" ><span> </span></di v>
<di v cl ass=" dt 2- 3" ><span cl ass=" i confont add" >&nbsp; </span></di v>
</di v>
<di v cl ass=" dt 3" >
<di v><p> </p><p> </p></di v>
</di v>
<di v cl ass=" dt 4" >
<video src=" 3. mp4" wi dth=" 100%" hei ght=" 100%" control s=" control s" loop=" loop" >
</di v>
<di v cl ass=" dt 6" >
<di v cl ass=" dt 6- 1" ># </di v>
<di v cl ass=" dt 6- 2" ><span cl ass=" i confont nark" ></span>97</di v>
<di v cl ass=" dt 6- 3" ><span cl ass=" i confont appreci ate" ></span>2757</di v>
<di v cl ass=" dt 6- 4" ><span cl ass=" i confont nore_l i ght" ></span></di v>
</di v>
<!-- -->
<di v cl ass=" di v" >
</di v>
</secti on>
<!-- -->
<nav>
<a href=" .html" ><di v cl ass=" nav- i tem" >
<span cl ass=" l ogo2 i confont musi cf i l l" ></span>
<di v cl ass=" di v2" > </di v>
</di v></a>
<a href=" .html" ><di v cl ass=" nav- i tem" >
<span cl ass=" l ogo2 i confont emoj i" ></span>
<di v cl ass=" di v2" > </di v>
</di v></a>
<a href=" .html" ><di v cl ass=" nav- i tem" >
<span cl ass=" l ogo1 i confont new" ></span>
<di v cl ass=" di v1" > </di v>
</di v></a>
<a href=" .html" ><di v cl ass=" nav- i tem" >
<span cl ass=" l ogo2 i confont nyf i l l" ></span>
<di v cl ass=" di v2" > </di v>
</di v></a>

```

</nav>

</body>

6. W

W

<div class="dt" >

<video src="bigbang1.mp4" width="100%" height="100%" controls="controls" loop="loop" >

</div >

h5+css3, javascript, jquery

∞

bootstrap3 bootstrap4 jquery

1994

∞

!

∞

()

=

bootstrap

css3

()

IT

[1] (HTML5) 2012-9 .

[2] JavaScript 2009 09 .

[3] Web [J]. 2013 6 5-7.

[4] HTML5 [J]. 2012 29 .

[5] HTML5 [J]. 2013 09 64-68.

[6] Web [J]. 2013 6 5-7.

[7] Web [J]. 2009 8 .

[8] Web [M]. 2010.

[9] Vue.js 2019 3 20 .

[10] 5.0 IE .

[11] https://www.runoob.com/ .

1.

1.

∞

∞




!

- 2
- 3

- 4
- 5

- 1.
- 2
- 3
- 4
- 5
- 6
- 7.



-  amc@cnki.net
-  <http://check.cnki.net/>
-  <http://e.weibo.com/3194559873/>